

**WEST****End of Result Set****Generate Collection****Print**

L1: Entry 1 of 1

File: DWPI

Oct 24, 1996

DERWENT-ACC-NO: 1996-486211  
DERWENT-WEEK: 199649  
COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Tablet contg. inulin and salts to cause fizzing - useful as source of roughage, in low-calorie food supplement, esp. for diabetics, or as drug

INVENTOR: HECK, D; SCHWEREN, R H

PATENT-ASSIGNEE:

ASSIGNEE

KRUEGER GMBH & CO KG

CODE

KRUEN

PRIORITY-DATA: 1995DE-1014274 (April 21, 1995)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

DE 19514274 A1

October 24, 1996

004

A23L002/40

APPLICATION-DATA:

PUB-NO

APPL-DATE

APPL-NO

DESCRIPTOR

DE19514274A1

April 21, 1995

1995DE-1014274

INT-CL (IPC): A23 L 2/40; A23 L 2/52; A23 L 2/56; A23 L 2/58; A23 L 2/60; A23 L 2/62; A23 L 2/68; A61 K 31/70; C08 L 5/00

ABSTRACTED-PUB-NO: DE19514274A

BASIC-ABSTRACT:

Bubbling tablets are claimed contg. a salt that forms bubbles, and inulin.

The tablets are used in a soft drink, a nutrient supplement, a dietetic foodstuff, or a ballast material (roughage) prepn. for therapeutic purposes (esp. as a drug), (claimed), to increase the amt. of ballast material in the diet.

ADVANTAGE - Unlike materials such as museli, the roughage is rapidly available, and easy to transport and prepare. The tablets provide a material that is deficient in many diets. As the inulin acts as a sugar substitute, sugars and sugar alcohols are not required in the products, giving a useful reduction in calories.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: TABLET CONTAIN INULIN SALT CAUSE FIZZ USEFUL SOURCE ROUGH LOW CALORIE FOOD SUPPLEMENT DIABETES DRUG

**WEST****End of Result Set****Generate Collection****Print**

L12: Entry 2 of 2

File: DWPI

Aug 6, 1985

DERWENT-ACC-NO: 1985-227650

DERWENT-WEEK: 198537

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Composite sweetener with no bitter after-taste - contains fructo-oligosaccharide and aspartem for enhanced sweetness

PATENT-ASSIGNEE:

ASSIGNEE

MEIJI SEIKA KAISHA

CODE

MEIJ

PRIORITY-DATA: 1984JP-0001900 (January 11, 1984)

PATENT-FAMILY:

PUB-NO

PUB-DATE

LANGUAGE

PAGES

MAIN-IPC

JP 60149358 A

August 6, 1985

003

APPLICATION-DATA:

PUB-NO

APPL-DATE

APPL-NO

DESCRIPTOR

JP60149358A

January 11, 1984

1984JP-0001900

INT-CL (IPC): A23L 1/23

ABSTRACTED-PUB-NO: JP60149358A

BASIC-ABSTRACT:

Sweetener (I) consists of fructo-oligosaccharide (II) contg. 0.1-3.0 wt. % of aspartem (III).

USE/ADVANTAGE - (II) is sweetener having biological activities such as cholesterol-decreasing effect, Bifidus-strains-growth factor. It is hardly digested in body and exhibits an anti-dental caries effect. Although (II) has a good sweet taste, its sweetness is low in comparison with that of sucrose. Mixing (II) with (III) enhances the sweetness of (II) and affords (I) which has no bitter aftertaste of (III).

In an example candies were prped. using (II) and (III). (I) contg. 0.1-3.0 wt. % of (III) was suitable for use as a sweetener.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: COMPOSITE SWEET NO BITTER AFTER TASTE CONTAIN FRUCTO OLIGOSACCHARIDE  
ENHANCE SWEET

DERWENT-CLASS: B05 D13 E19

CPI-CODES: B04-C02; B10-B02E; B12-H03; B12-J01; B12-L03; D03-H01A; E07-A02; E10-B02D;

**WEST**

Generate Collection

Print

L12: Entry 1 of 2

File: JPAB

Aug 6, 1985

PUB-NO: JP360149358A  
DOCUMENT-IDENTIFIER: JP 60149358 A  
TITLE: SWEETENING MIX

PUBN-DATE: August 6, 1985

## INVENTOR-INFORMATION:

NAME

COUNTRY

SAITO, TOMIJI

KONO, TOSHIAKI

MIYAZAKI, KIYOSHI

## ASSIGNEE-INFORMATION:

NAME

COUNTRY

MEIJI SEIKA KAISHA LTD

APPL-NO: JP59001900

APPL-DATE: January 11, 1984

US-CL-CURRENT: 426/658; 426/804

INT-CL (IPC): A23L 1/236

## ABSTRACT:

PURPOSE: A sweetening mix that is obtained by dissolving a small amount of aspartame in fructo-oligosaccharide, thus increasing the sweetness of the former and improving bitterness, harshness and aftertaste, resulting in almost the same quality of sweetness as that of sucrose and increased solubility.

CONSTITUTION: A mixture of fructooligosaccharide with 0.1&sim;3.0wt%, preferably 0.3&sim;2.0wt% of aspartame is dissolved, preferably spray-dried, powdered to give the objective sweetening. In order to improve the dispersibility and solubility, a crystalline saccharide may be mixed by, e.g., 5&sim;15% and the mixture is granulated.

COPYRIGHT: (C)1985.JPO&amp;Japio

**WEST****End of Result Set****Generate Collection****Print**

1.2: Entry 1 of 1

File: DWPI

Apr 3, 1991

DERWENT-ACC-NO: 1991-096110  
DERWENT-WEEK: 199114  
COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Stabilisation of thermo-labile sweetener e.g. aspartame - by mixing with fibre-rich vegetable prod. e.g. beetroot

INVENTOR: MARIE, G; MOTTE, E

PATENT-ASSIGNEE  
ASSIGNEE  
SOFALIA

CODE  
SOFAN

PRIORITY-DATA: 1989FR-0012332 (September 20, 1989)

## PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
EP 420728 A	April 3, 1991		000	
CA 2025674 A	March 21, 1991		000	
FR 2651964 A	March 22, 1991		000	

DESIGNATED-STATES: BE CH DE GB IT LI NL SE

CITED-DOCUMENTS: 1. Jnl. Ref. A3...9148 : EP 254401 : EP 37209 : EP 68229 : JP59125846 : NoSR.Pub : US 4379782

## APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
EP 420728A	September 20, 1990	<u>1990EP-0402601</u>	
FR 2651964A	September 20, 1989	1989FR-0012332	

INT-CL (IPC): A23L 1/23

ABSTRACTED-PUB-NO: EP 420728A  
BASIC-ABSTRACT:

A process for stabilising certain intense sweeteners comprises mixing a thermolabile sweetener with a vegetable material having an alimentary fibre content of at least 50 wt.% and a particle size of pref. 40-315 microns. The stabiliser combination is also claimed as in the use of the combination for the prepn. of sweetened alimentary formulations requiring a cooling step at high temp. such as flour prods. or a sterilisation step in liq. medium.

Mixing of the components is pref. effected either in a dry medium by simple mixing or in an aq. medium by simple mixing during a fibre delaceration step. The thermolabile sweetener is Asparatame or K acetosulph. Mixing of the sweetener with the vegetable

material (I) is effected in aq. medium at a concn. of (I) of 1-30 (3-15)% and at 20-100(40-60) deg C. More pref. the mixing is effected during a fibre delaceration step either by homogenisation under a pressure of at least 50 kg/cm2. pref. 150-450 kg/cm2 or using a colloidal grinder with negative tightening. according to a cycle which can be repeated several times and using a sweetener concn. of 0.5-15% w.r.t. (I).

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: STABILISED THERMO LABILE SWEET ASPARTAME MIX FIBRE RICH VEGETABLE PRODUCT  
BEETROOT

DERWENT-CLASS: D13

CPI-CODES: D03-H01B:

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1991-041093

4/3,AB,KWIC/18 (Item 6 from file: 53)  
DIALCG(R)File 53:FOODLINE(R): Food Science & Technology  
(c) 2002 LFRA. All rts. reserv.

00853924 FOODLINE ACCESSION NUMBER: 530409  
Dietetic one-to-one sugar substitute composition for table top, baking and  
cooking applications.

Bateman, K A

PATENT: EP 1018895 A1

PATENT: WO 9804156 DATE:5.2.1998

APPLICATION COUNTRY: US (DATE(S):26.7.1996)

DESIGNATED STATES:

See published patent document for Designated Contracting States.

X-REFERENCE: ADDITIVES

LANGUAGE: English

DOCUMENT TYPE: Patent

ABSTRACT: A composition is described for use as a table-top sweetener and  
in baking and other methods of cooking. The composition has half the  
calorie content of sucrose; has good solubility in water; is  
tooth-friendly; is safe for diabetics; and is high in soluble dietary  
fibre. It incorporates intense sweeteners, bulk sweeteners (preferably  
natural **inulin**), anti-flatulence agents, flavourings, and a small  
proportion of simple sugars to help achieve browning in baked products.  
It may be used as a full replacement for granulated and brown sugars in  
all types of food. Preferred intense sweeteners are acesulfam K and  
**aspartame**. Formulations for powdered sugars are given, with  
extensive nutritional information on baked products incorporating the  
sweetener.

...ABSTRACT: and is high in soluble dietary fibre. It incorporates intense  
sweeteners, bulk sweeteners (preferably natural **inulin**),  
anti-flatulence agents, flavourings, and a small proportion of simple  
sugars to help achieve browning...

...and brown sugars in all types of food. Preferred intense sweeteners are  
acesulfam K and **aspartame**. Formulations for powdered sugars are  
given, with extensive nutritional information on baked products  
incorporating the...

4/3,AB,KWIC/21 (Item 9 from file: 53)  
DIALOG(P)File 53:FOODLINE(R): Food Science & Technology  
(c) 2002 LFRA. All rts. reserv.

00847432 FOODLINE ACCESSION NUMBER: 522601  
Low calorie palatable fiber-containing, sugar substitute.  
Barndt R L; Liao S; Merkel C M; Chapello W J; Navia J L  
PATENT ASSIGNEE: McNeil-PPC Inc  
PATENT: EP 975236 A2  
PATENT: WO 9849905 DATE:19981112  
APPLICATION COUNTRY: US (DATE(S):19970418)  
PRIORITY APPLICATION DATE: 19980331  
DESIGNATED STATES:

See published patent document for Designated Contracting States.

X-REFERENCE: ADDITIVES

LANGUAGE: English

DOCUMENT TYPE: Patent

ABSTRACT: This invention concerns a low-calorie, palatable fibre-containing sugar substitute suitable for use as a substitute for table sugar, and as an ingredient in baked foods and other prepared foods. It comprises **inulin** plus a high-intensity sweetener such as sucralose, **aspartame**, saccharin, cyclamate, alitame or acesulfam K. Various recipes for bakery products containing such sweeteners are presented.

...ABSTRACT: table sugar, and as an ingredient in baked foods and other prepared foods. It comprises **inulin** plus a high-intensity sweetener such as sucralose, **aspartame**, saccharin, cyclamate, alitame or acesulfam K. Various recipes for bakery products containing such sweeteners are...

4/3,AB,KWIC/23 (Item 11 from file: 53)  
DIALC3(P)File 53:FOODLINE(R): Food Science & Technology  
(c) 2002 LFRA. All rts. reserv.

00831342 FOODLINE ACCESSION NUMBER: 513695

Method for increasing the sweetening power and enhancing the taste of a mixture of extremely powerful sweetening agents.

Jager M; Dorr M

PATENT ASSIGNEE: Nutrinova Nutrition Specialties and Food Ingredients GmbH

PATENT: EP 946111 A2

PATENT: WO 9327831 DATE:19980702

APPLICATION COUNTRY: DE (DATE(S):19961220 19970728)

PRIORITY APPLICATION DATE: 19971203

DESIGNATED STATES:

SeepublishedpatentdocumentforDesignatedContractingStates.

X-REFEPECE: ADDITIVES

LANGUAGE: German

SUMMARY LANGUAGE: English

DOCUMENT TYPE: Patent

ABSTRACT: A method of increasing the sweetening power and enhancing the taste of a mixture of intensive sweeteners (such as acesulfam K, **aspartame** and saccharin) involves the addition of an oligosaccharide. The aim of the invention is to achieve a taste and mouthfeel like those of sucrose, using minimum levels of sweetener. Suitable oligosaccharides include **fructooligosaccharides** (such as **inulin** and **oligofructose**); galactooligosaccharides; and isomaltooligosaccharides (such as lactosucrose, maltose, trehalose and maltotetraose). Glucosyl sucrose syrup and **oligofructose** syrup can also be used. The invention provides sweeteners that are superior to sweetener/sugar combinations in that they offer a fibre content, probifidus effect, low calorific value and pleasant mouthfeel, and are non-cariogenic and suitable for diabetics. (See also WO 98/27832.)

...ABSTRACT: power and enhancing the taste of a mixture of intensive sweeteners (such as acesulfam K, **aspartame** and saccharin) involves the addition of an oligosaccharide. The aim of the invention is to...

...taste and mouthfeel like those of sucrose, using minimum levels of sweetener. Suitable oligosaccharides include **fructooligosaccharides** (such as **inulin** and **oligofructose**); galactooligosaccharides; and isomaltooligosaccharides (such as lactosucrose, maltose, trehalose and maltotetraose). Glucosyl sucrose syrup and **oligofructose** syrup can also be used. The invention provides sweeteners that are superior to sweetener/sugar...



4/3,AB,KWIC/31 (Item 19 from file: 53)  
DIALOG(R)File 53:FOODLINE(R): Food Science & Technology  
(c) 2002 LFPA. All rts. reserv.

00672839 FOODLINE ACCESSION NUMBER: 461937

Synergistic sweeteners.

Wiedmann M; Jager M

Food Ingredients and Analysis International (November-December), 19 (6),  
51-52+55-56 (0 ref.)

1997

ISSN NO: 0968-574X

LANGUAGE: English

DOCUMENT TYPE: Journal article

ABSTRACT: Nutrinova has introduced a sweetening system that combines  
high-intensity sweeteners (such as **aspartame** and acesulfam K)  
with pre-biotic soluble fibres (such as **oligofructose** and  
**inulin**). Sensory evaluations of the new sweetening system are  
compared with those of standard high-intensity sweeteners. In addition  
to providing potential health benefits, the new sweetening system was  
found to provide a more rounded flavour than the artificial sweeteners  
alone.

ABSTRACT: Nutrinova has introduced a sweetening system that combines  
high-intensity sweeteners (such as **aspartame** and acesulfam K)  
with pre-biotic soluble fibres (such as **oligofructose** and  
**inulin**). Sensory evaluations of the new sweetening system are  
compared with those of standard high-intensity...

...DESCRIPTORS: **ASPARTAME**; ...

...INULIN; ...

8/5/1 (Item 1 from file: 51)  
DIALOG(R)File 51:Food Sci.&Tech.Abs  
(c) 2002 FSTA IFIS Publishing. All rts. reserv.

00717980 96-07-t0022 SUBFILE: FSTA

**Raftilose** and Raftiline: a new generation of dietary fibre.)  
**Raftilose** und Raftiline: eine neue Generation von Ballaststoffen.

Coussement, P.

Fa. Orafti, Tienen, Belgium

Deutsche Milchwirtschaft 1995 , 46 (19) 1060-1062

DOCUMENT TYPE: Journal Article ISSN: 0012-0480

LANGUAGE: German

Various dairy products with a high dietary fibre content have recently appeared on the market. The source of the fibre is Raftiline and **Raftilose**, novel additives, derived from chicory root, which offer nutritional, physiological and technological advantages, while providing excellent taste and structural characteristics. Raftiline is powdered inulin with a fructose chain length of LESS THAN OR EQUAL 60 units and BETA(2-1) type bonding of the molecules, thereby making them indigestible by humans and other higher life forms. **Raftilose** contains oligofructose comprising a mixture of oligosaccharides produced by hydrolysis of inulin molecules, so that its chemical structure and nutritional and physiological properties are virtually the same as those of inulin. Both additives are available in various forms depending on the applications, which include milk, milk-based beverages, fermented whey, cheese (including fresh cheese), ice cream, balanced dietary products and a range of spreads. Raftiline is sufficiently soluble in water to be incorporated into foods in aqueous solution, while **Raftilose** is more soluble than sucrose but not so sweet (with about 30% of its sweetening power), but can be used in conjunction with sweeteners such as **aspartame**. Advantages claimed for the additives over traditional sources of dietary fibre include texture improvement, acceptable heat tolerance, a positive effect on the intestinal flora, improved mouthfeel for fat-reduced products, and absence of a colouring effect. (HBr)

DESCRIPTORS (HEADINGS): Fibre; Vegetables specific; Polysaccharides;  
Dairy products

DESCRIPTORS: FIBRE DIETARY; CHICORY; INULIN

GENERAL DESCRIPTORS: Dairy products; Carbohydrates; Vegetables specific

SECTION HEADINGS: Additives, spices & condiments (SC=t)

?

7/3,AB,KWIC/7 (Item 4 from file: 50)  
DIALOG(R)File 50:CAB Abstracts  
(c) 2002 CAB International. All rts. reserv.

02252192 CAB Accession Number: 900396546

**Raftilose.**

Castille, E.; Smits, G.

Tiense Suiker Raffinaderij, Tienen, Belgium.

Conference Title: Conference Proceedings - Food Ingredients Europe.

p.287

Publication Year: 1989

Publisher: Expoconsult -- Maarssen, Netherlands

Language: English

Document Type: Conference paper

**Raftilose** is the brand name for a syrup which contains fructo-oligosaccharides, together with variable quantities of **glucose**, fructose and sucrose. The properties of **Raftilose** are summarized, with particular reference to the beneficial physiological effects of fructo-oligosaccharides.

**Raftilose.** --

**Raftilose** is the brand name for a syrup which contains fructo-oligosaccharides, together with variable quantities of **glucose**, fructose and sucrose. The properties of **Raftilose** are summarized, with particular reference to the beneficial physiological effects of fructo-oligosaccharides.